

Flexo printing machine

To Do Better
Products, Service
More Customers

专注柔版印刷机械

WENZHOU SUNNY MACHINERY CO,LTD

温州彰力机械有限公司

Cell: +86 13588938993


E-mail: lily@chinaprintingmachines.com

<http://www.sunnymachinecn.com>

手机: 13588938993(国内)

邮箱: lily@chinaprintingmachines.com

<http://www.sunnymachinecn.com>



Printing
Machinery

Sunny Machinery

Build The Leading Brand In Printing And Packaging Machines

打造印刷包装机械的领先品牌

Sunny

Our company is an enterprise integrates with developing, designing and manufacturing for non standard and standard printing machines as well as packaging machine. We are a professional manufacturer of CI drum flexo printing machine, stack type flexo printing machine including paper flexo printing machine, plastic film flexo printing machine, non woven flexo printing machine, etc. We also focus on a series of machine accessories, other related packing machines, a wide range of diversity, reasonable price and on-time delivery. All of our machines will be tested before shipping, to make sure our customers can receive the best quality.

Sunny company have the CE certification EU, Patent certification and other related product certification. Since establish, we continuously develop new products by taking market as the guidance and science as the basis. The company continue to pursue high-quality products, and for different customer needs, to develop a user-friendly and cost-effective products. Not only the pursuit of superior product quality, optimizing productivity and cost control, while focusing on the consumer experience, and continuous improvement to meet the market needs of rapid development.

不断研发新产品，追求高质量的产品

公司是一家集开发，设计，制造非标和标准印刷机械、包装机械的专业性企业。我们专业生产中央辊筒卫星式柔版印刷机、层叠式柔版印刷机如纸张柔版印刷机，塑料薄膜印刷机，无纺布印刷机等。我们还专注于一系列机器配件，和其他包装机械，种类繁多，价格合理，按时交货。所有的机器将在发货前进行测试，以确保客户获得最好的质量。

公司拥有欧盟CE认证，多项专利认证等相关产品认证。自成立以来，以市场为导向，以科学为依托，不断开发新产品。公司不断追求高品质的产品，并针对不同的客户需求，开发出用户友好、性价比高的产品。公司并不仅仅追求卓越的产品质量，优化生产力和成本控制，同时重点关注消费者体验，持续改进，以满足快速发展的市场需求。

我们的精神
Our spirit

NEW

诚信，创新，持续改进
Honesty, Innovation,
Continuous Improvement

我们的品牌理念
Our Brand concept

质量创造价值
Quality cre ates value

我们的企业价值观
Our Corporate values

始终为客户提供增值服务
always deliver value-added
service for customers

我们的企业愿景
Our Enterprise vision

为社会贡献价值
to contribute value
for the state of society

我们的服务 Our service

样品试印刷
Sample printing

机器、配件的定制服务
Customize design:
machine, parts

24小时内回复您的询价
We will reply you for your
inquiry in 24 hours.


发货后，我们将持续追踪，直到您收到产品。
After delivery, we will track the products, until you get the products.



Machine can be customized as client’s requirements.
我们可以根据客户要求，为客户定制机器！

Completely Process

完善的工艺




More examples please consult us
更多范例请咨询我们



HOW WORKS

如何工作



印刷完成后烘干
oven after
printing finish

铝导辊
Aluminum
guide roller

原料放卷
Raw material
unwinder device

柔性版印刷
printing station
with flexo plate

色间烘干
oven between
colors

成品收卷
Finished Product
rewinder device

New Economic Central Impression Flexo Printing Machine

新型经济型 CI 卫星式柔版印刷机

CENTRAL IMPRESSION FLEXO PRESS,
CREATE MORE PROFITS FOR YOU

卫星式柔版印刷机，为您创造更高利润

Characteristics

Central impression for better color registration. With the central impression configuration, the raw material to be printed is supported by the impression cylinder, greatly improving color register.

特点

中央大辊筒式，承印材料由单一大辊筒支撑，在印刷色组之间不离开压轮，故套色准确。


Performance

The machine is suitable for printing: roller paper, packing paper, cellophane, tubular films, aluminum foil, PP woven sack and PE/LDPE/LLDPE/HDPE/BOPP poly bags.
Require small space, easy operation and maintenance; man power and cost greatly saving.
Used with either solvent or water based flexo printing ink only. The prior choice for Eco-friendly packaging.
Have a counter device to control production Q'TY, which is reached the presetting numerical then the machine will be stop working at the same time.
When printing roller stop working, the rubber roller and anilox roller will be continuous running to avoid drying of printing ink on such rollers.

主要技术参数 Main Technical Parameters

印刷颜色	Color	2 / 4 / 6 / 8 Color
适用材料	Suitable material	Paper, plastic film, etc
材料宽幅	Web Width	600mm ~ 1800mm
印刷宽幅	Printing Width	560mm ~ 1760mm
印刷周长	Repeat Printing Length	300mm ~ 700mm

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.



性能

该机适用于印刷卷筒纸，包装纸，玻璃纸，管状膜，铝箔，PP编织袋和PE / LDPE / LLDPE / HDPE / BOPP塑料薄膜袋。
要求空间小，操作维护方便; 节约人力和成本。
仅用于溶剂或水性柔版印刷油墨。环保包装首选。
计数器可设置、控制生产量，达到预设值时，机器将停止印刷工作。
当印刷辊停止工作时，橡胶辊和网纹辊将连续运转，以避免印刷油墨干结在这些辊子上。

Two/Four/Six/Eight Color CI Type Flexographic Printing Press

卫星式 2/4/6/8 色高精度柔版印刷机



Advantage

Higher precision: printing pressure is uniform and slight,together with new technology,chromatic high precision,rich gradation
Faster speed: Within the raw material range of the machine's adaptation,up to 150 meters per minute,improve production capacity

Characteristics

Central impression for better color registration. With the central impression configuration, the raw material to be printed is supported by the impression cylinder, greatly improving color register.

新品优势

套印精确：印刷压力均匀且轻微，并应用了计算机精密技术，套色精准，层次丰富
速度提升：在机器可适应材料范围内，速度可达每分钟150米，有效提高产能

特点

中央大辊筒式，承印材料由单一大辊筒支撑，在印刷色组之间不离开压轮，故套色准确。

主要技术参数 Main Technical Parameters

型号	MTCI	600 / 800 / 1000
印刷颜色	Print color	2 / 4 / 6 / 8 Color
适用的材料	Suitable material	Paper, plastic film, etc
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷宽幅	Printing Width	560mm / 760mm / 960mm
印刷周长	Repeat Printing Length	300mm ~ 700mm
印刷速度	Printing speed	10~150m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Synchronous Belt Flexo
Printing Machine
同步带柔版印刷机



Characteristics

Integrally Synchronous Belt System & Helical Gear-Smoothly & Stable With High-Speed Rotation. Dr. Blade and Ceramic Roller- High Solution Printing

特点

高速旋转的整体皮带系统和斜齿轮平滑稳定低噪、套色精度高
刮刀和陶瓷辊装置 - 高解决方案印刷

主要技术参数 Main Technical Parameters

印刷颜色	Print color	2 / 4 / 6 / 8 Color
适用的材料	Suitable material	Paper, plastic film, non woven fabric, pp woven, aluminum foil, etc
材料宽幅	Web Width	600mm ~ 1800mm
印刷宽幅	Printing Width	560mm ~ 1760mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度	Printing speed	10~80m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Two/Four/Six Color Large
Width Flexo Press
2/4/6 色大型宽幅柔版印刷机



Characteristics

The 1800mm to 3200mm large width model is customized to support printing 2/4/6 color. The machine is suitable for printing: roller paper, packing paper, cellophane, fiber glass web, tubular films, aluminum foil, PP woven sack and PE/LDPE/LLDPE/HDPE/BOPP poly bags.

特点

1800mm 到 3200mm 宽幅机型定制，支持印刷2 / 4 / 6 色，适用材料卷筒纸，包装纸，玻璃纸，玻璃纤维网，管状膜，铝箔，PP编织袋和PE / LDPE / LLDPE / HDPE / BOPP塑料薄膜袋

主要技术参数 Main Technical Parameters

型号	MTB	1800 / 2800 / 3200
材料宽幅	Web Width	1800mm ~ 3200mm
印刷宽幅	Printing Width	1760mm ~ 3160mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度(根据原料特性)	Printing speed	10~100m/min (according to raw material)

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Stack Type Eight Color
High Speed Flexo Press
层叠式 8 色高速柔版印刷机



Characteristics

The machine is suitable for printing: roller paper, packing paper, cellophane, fiber glass web, tubular films, aluminum foil, PP woven sack and PE/LDPE/LLDPE/HDPE/BOPP poly bags. Require small space, easy operation and maintenance; man power and cost greatly saving. Used with either solvent or water based flexo printing ink only. The prior choice for eco-friendly packaging.

特点

该机适用于印刷卷筒纸，包装纸，玻璃纸，玻璃纤维网，管状膜，铝箔，PP编织袋和PE / LDPE / LLDPE / HDPE / BOPP塑料薄膜袋。要求空间小，操作维护方便；节约人力和成本。仅用于溶剂或水性柔版印刷油墨。环保包装首选。

主要技术参数 Main Technical Parameters

型号	MTH	600 / 800 / 1000
印刷颜色	Print color	8 Color
适用的材料	Suitable material	Paper, plastic film, non woven fabric, pp woven, aluminum foil, etc
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷宽幅	Printing Width	560mm / 760mm / 960mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度	Printing speed	10~80m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Stack Type Six Color
High Speed Flexo Press
层叠式 6 色高速柔版印刷机



Characteristics

6 color flexographic printing machine, can make the CMYK four primary colors to realize multicolor / spot color printing, easy operation, accurate color register

特点

六色柔印机，可使CMYK四原色实现多色/专色印刷，操作简单，套色精确。

主要技术参数 Main Technical Parameters

型号	MTH	600 / 800 / 1000
印刷颜色	Print color	6 Color
适用的材料	Suitable material	Paper, plastic film, non woven fabric, pp woven, aluminum foil, etc
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷宽幅	Printing Width	560mm / 760mm / 960mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度	Printing speed	10~80m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Stack Type Four Color
High Speed Flexo Press
层叠式 4 色高速柔版印刷机



Characteristics

4 color flexographic printing machine, can make the CMYK four primary colors to realize multicolor / spot color printing, easy operation, accurate color register

特点

四色柔印机，可使CMYK四原色实现多色/专色印刷，操作简单，套色精确。

主要技术参数 Main Technical Parameters

型号	MTH	600 / 800 / 1000
印刷颜色	Print color	4 Color
适用的材料	Suitable material	Paper, plastic film, non woven fabric, pp woven, aluminum foil, etc
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷宽幅	Printing Width	560mm / 760mm / 960mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度	Printing speed	10~80m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Stack Type Paper / PP
Woven Bag Flexo Press
层叠式中高速纸张编织袋柔版印刷机



Characteristics

Special for the pp / pe woven sack roll, and craft paper printing, and various kinds of heavy duty packaging materials. Rewinding with surface type, the winding diameter can be customized

特点

此机型专用于pp / pe编织袋，牛皮纸印刷和各种重型包装材料。绕组表面型卷绕直径可以定制。

主要技术参数 Main Technical Parameters

印刷颜色	Print color	2 / 4 / 6 / 8 Color
材料宽幅	Web Width	600mm ~ 1800mm
印刷宽幅	Printing Width	560mm ~ 1760mm
印刷周长	Repeat Printing Length	Can be customized (可以定制)
版材厚度	Thickness of plate	1.7mm/2.28mm/3.94mm
印刷速度(根据原料特性)	Printing speed	10~80m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Stack Type Six Color
Economic Flexo Press
层叠式 6 色经济型柔版印刷机



Characteristics

Stack type print the color 6+0, 5+1, 4+2 and 3+3 combination, single unwinding and rewinding station in the same way, convenience the operator to put on the raw materials and take out the printed films.

特点

印刷机支持印刷颜色6+0,5+1,4+2,3+3组合，单放卷和单收卷在同样的方位，方便操作者换上原料并取出印刷成品。

主要技术参数 Main Technical Parameters

型号	MTB	600 / 800 / 1000
印刷颜色	Print color	6 Color
适用的材料	Suitable material	Paper, plastic film, non woven fabric, pp woven, aluminum foil, etc
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷宽幅	Printing Width	560mm / 760mm / 960mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度	Printing speed	10~50m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Stack Type Four Color
Economic Flexo Press
层叠式 4 色经济型柔版印刷机



Characteristics

Stack type print the color 4+0, 3+1, 2+2 and 1+3 combination, single unwinding and rewinding station in the same way, convenience the operator to put on the raw materials and take out the printed films.

特点

印刷机支持印刷颜色4+0,3+1,2+2,1+3组合，单放卷和单收卷在同样的方位，方便操作者换上原料并取出印刷成品。

主要技术参数 Main Technical Parameters

型号	MTB	600 / 800 / 1000
印刷颜色	Print color	4 Color
适用的材料	Suitable material	Paper, plastic film, non woven fabric, pp woven, aluminum foil, etc
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷宽幅	Printing Width	560mm / 760mm / 960mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度	Printing speed	10~50m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Stack Type Two Color
Economic Flexo Press
层叠式 2 色经济型柔版印刷机



主要技术参数 Main Technical Parameters

型号	MT	600 / 800 / 1000
印刷颜色	Print color	2 Color
适用的材料	Suitable material	Paper, plastic film, non woven fabric, pp woven, aluminum foil, etc
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷宽幅	Printing Width	560mm / 760mm / 960mm
印刷周长	Repeat Printing Length	250mm ~ 1000mm (Can be customized)
印刷速度	Printing speed	10~50m/min

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

High-speed Computer
Gravure Printing
电脑高速凹版印刷机



主要技术参数 Main Technical Parameters

型号	MTASY	600 / 800 / 1000
材料宽幅	Web Width	600mm / 800mm / 1000mm
印刷速度	Printing Speed	180m/min
套准精度	Register Accuracy	±0.1mm
外形尺寸(L*W*H)	Overall Dimension	15500*3200*2950mm / 15500*3400*2950mm / 15500*3600*2950mm

注：由于产品不断改进，机器外形及技术参数如有更改，恕不另行通知。
Note: there is no further notice if appearance and parameters changes.

Film Blowing Machine Inline
With Flexo Press
PE 吹膜印刷连线设备



Inline
Flexo Press
连线型柔版印刷机



Cutting
Machine
横切机



Plate
Mounting Machine
自动贴版机



Automatic
Tension Controller
自动张力控制器



One Color
Flexo Press
单色印刷机



Automatic Slitting &
Rewinding Machine
卧式分切机



Anilox Roller
Cleaning Machine
网纹辊清洗机



Flexo Plate
Making Machine
柔性晒版机



Corona
Treatment
电晕处理机



Configutation Info

配置中心



单向油墨泵
One-way ink pump



高精度油墨泵
High precision ink pump



封闭式刮墨刀
Close chamber doctor blade



大辊靠背摩擦收卷
Roller friction
rewinding system



液压装置
Hydraulic device



平面收卷
Film central
rewinding system



高精度陶瓷辊
High precision ceramic roller



刮墨刀
Scrape blade



无轴放料装置
Shaftless for unwinder



自动图像监测
Automatic image inspection system



印刷后圆刀分切
Slitter device
after printing



同步皮带
Synchronous belt



纠偏
EPC device